Building Site Development

	Pct.   of  map  unit	streets	d	Shallow excavations     		Lawns and landsca     	Lawns and landscaping	
     	     			Rating class and   limiting features				
4: Knoke	100   100   1   1	Depth to Saturated zone Frost action Low strength	1.00	Depth to   saturated zone   	11.00	    Very limited   Depth to   saturated zone   	11.00	
6: Okoboji	  100         	Depth to   saturated zone   Frost action   Low strength	1.00	saturated zone	11.00	  Very limited   Depth to   saturated zone   	11.00	
27B: Terril	1100	Low strength		  Somewhat limited   Depth to   saturated zone		  Not limited     	         	
27C: Terril	  100   	Low strength 	11.00	  Somewhat limited   Depth to   saturated zone			       	
48: Knoke	  100       	Depth to   saturated zone   Frost action   Low strength	1.00	Depth to   saturated zone 	11.00	  Very limited   Depth to   saturated zone   	1.00	
52B: Bode		Low strength   Shrink-swell	    1.00  0.50  0.50		•	  Not limited     	         	
52C: Bode	1100	Low strength Shrink-swell	    1.00  0.50  0.50	İ	       	  Not limited     		

Building Site Development

and soil name	Pct.   of  map  unit	streets	Shallow excavati   	ons	Lawns and landsca    -  -	aping	
	   	=		Rating class and   limiting features		=	
52C2: Bode	     95   	Low strength Shrink-swell	    1.00  0.50  0.50	İ	       	 	       
55: Nicollet	   95     	    Very limited   Frost action     Low strength		    Somewhat limited   Depth to   saturated zone 	0.73	    Not limited       	         
62C2: Storden	       90		      0.50		 	  -  Not limited 	 
62D2: Storden	     90   	Slope		Slope		    Somewhat limited   Slope 	      0.63
62E2: Storden	     95   	Slope		Slope		    Very limited   Slope 	1   1   1   1   1   1   1   1   1   1
62F: Storden	    100   	Slope		  Very limited   Slope 		  Very limited   Slope 	1 1.00
90: Okoboji	  100         	Depth to   saturated zone   Frost action	1.00    1.00  1.00	 	11.00	  Very limited   Depth to   saturated zone   	1.00
95: Harps	   95   95     	    Very limited   Depth to   saturated zone   Frost action   Low strength   Shrink-swell	      1.00    1.00  1.00  0.50	saturated zone	    1.00     	  Very limited   Depth to   saturated zone 	1 1.00

# Building Site Development

# Hamilton County, Iowa

Map symbol and soil name	Pct.   of  map  unit	of   streets		Shallow excavations		Lawns and landscaping     	
	   	=		Rating class and   limiting features 		=	
96: Turlin	    -  95       	Flooding	1.00  0.50	cutbanks cave Depth to saturated zone	0.90	 	    0.60   
107: Webster	   	Depth to   saturated zone   Frost action   Low strength	11.00	Depth to   saturated zone   	11.00	  Very limited   Depth to   saturated zone     	  1.00     
108B: Wadena	  - 100 	  Not limited 	 	  Very limited   cutbanks cave	    0.90	  Not limited 	   
135: Coland	     	Depth to   saturated zone   Frost action   Flooding   Low strength	1.00 	Depth to   saturated zone   Flooding 	1.00 	  Very limited   Depth to   saturated zone   Flooding 	11.00
138B: Clarion	    -   90 		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	•		    Not limited 	
138B2: Clarion			      0.50	    Not limited 	     	    Not limited 	     
138C: Clarion			      0.50	    Not limited 		    Not limited 	 
138C2: Clarion		•	      0.50	•		    Not limited   	     

Building Site Development

and soil name	Pct.   of  map  unit	streets	d	Shallow excavations     		Lawns and landsca     	aping
	     			Rating class and   limiting features			
138D2: Clarion	1 100	Slope		Slope		    Somewhat limited   Slope	      0.63
168B: Hayden		Low strength   Shrink-swell	    1.00  0.50  0.50	İ	       	  Not limited     	         
168C: Hayden		Low strength Shrink-swell	    1.00  0.50  0.50	İ	       	  Not limited     	       
168C2: Hayden	  100     	Low strength Shrink-swell	    1.00  0.50  0.50	 	         	    Not limited     	         
168E: Hayden	   95       	Slope   Low strength   Shrink-swell		-   		  Very limited   Slope   	    1.00   
175B: Dickinson	    100 				1 1 1 0 . 90	    Not limited 	
175C: Dickinson		    Somewhat limited   Frost action			0.90	    Not limited 	
201B: Coland	50           	  Very limited   Depth to   saturated zone   Frost action   Flooding   Low strength   Shrink-swell	  1.00  1.00  1.00  1.00  0.50	saturated zone   Flooding	  1.00    0.60   	saturated zone	11.00

Building Site Development

and soil name	Pct. of map unit	streets	d	Shallow excavati	ons.	Lawns and landsca    -  -	aping
	     	=		Rating class and   limiting features			
Terril	40	Low strength 			0.16	  Not limited    	       
203: Cylinder	     95     	  Very limited   Frost action     Shrink-swell	1 1.00	 	0.95	Ī	 
221: Palms	   95       	  Very limited   Depth to   saturated zone   Subsidence	1 1.00	  Very limited   Depth to   saturated zone   Content of   organic matter	1.00    1.00	  Very limited   Depth to   saturated zone   Content of   organic matter	      1.00    1.00
236B: Lester	   95     	Low strength   Shrink-swell	    1.00  0.50  0.50	ĺ		    Not limited     	         
236C2: Lester	  100   	Low strength Shrink-swell	    1.00  0.50  0.50	Ì		    Not limited     	       
259: Biscay	   95       	Depth to   saturated zone   Frost action	1.00    1.00  0.78			  Very limited   Depth to   saturated zone   	1 1.00
288: Ottosen	   95       	Frost action	    1.00    1.00  0.50	saturated zone	    0.95   	    Not limited       	         

Building Site Development

and soil name	Pct.   of  map  unit	streets	d	Shallow excavati      -  -	ons	   Lawns and landsca     	ping
				Rating class and   limiting features			
308: Wadena	     90 	    Not limited		    Very limited   cutbanks cave	1 1 1 1 0 . 90	    Not limited	
355: Luther	   95       	Frost action     Depth to	1.00	saturated zone	11.00	  Somewhat limited   Depth to   saturated zone 	0.03
356G: Hayden		Slope   Low strength   Shrink-swell   Frost action	1.00  1.00  0.50  0.50	 		  Very limited   Slope     	1 1.00
Storden		Very limited   Slope		Slope	1 1.00	  Very limited   Slope 	1 1.00
388: Kossuth	i 	Depth to   saturated zone   Frost action   Low strength	1.00	saturated zone		  Very limited   Depth to   saturated zone   	1 1.00
485: Spillville		Flooding     Low strength   Shrink-swell	11.00	saturated zone   Flooding 		    Somewhat limited   Flooding       	    0.60     
506: Wacousta	  100           	Depth to Saturated zone Frost action Low strength	1 1.00	saturated zone	11.00	  Very limited   Depth to   saturated zone   	1.00

Building Site Development

Map symbol and soil name	Pct.   of  map  unit	of   streets		Shallow excavations		Lawns and landscaping	
	       			Rating class and   limiting features			
507: Canisteo	     95       	Depth to Saturated zone Frost action Low strength	11.00	saturated zone		    Very limited   Depth to   saturated zone   	1.00
508: Calcousta	 	Depth to   saturated zone   Frost action   Low strength	1.00	saturated zone	1.00	  Very limited   Depth to   saturated zone   	1.00
511: Blue Earth	  100         	Depth to   saturated zone   Frost action	11.00	Depth to   saturated zone		  Very limited   Depth to   saturated zone   	11.00
536: Hanlon	   95       	Flooding	11.00	  Very limited   cutbanks cave   Depth to   saturated zone   Flooding		İ	    0.60     
559: Talcot	  100         	Depth to Saturated zone Frost action Low strength	11.00			  Very limited   Depth to   saturated zone   	11.00
638C2: Clarion		    Somewhat limited   Frost action		•		    Not limited 	
Storden		•	    0.50	  Not limited   		  Not limited   	 

Building Site Development

and soil name	of  map	Pct.  Local roads and   of   streets   map    unit		Shallow excavations   Lawns and landscap			ping
				Rating class and   limiting features			
828B: Zenor	     95 	    Not limited 		    Very limited   cutbanks cave		    Somewhat limited   Droughty	      0.13
828C2: Zenor	     95 	    Not limited 		    Very limited   cutbanks cave		    Somewhat limited   Droughty	0.04
829D2: Zenor	   50 		0.63	cutbanks cave	0.90	    Somewhat limited   Slope   Droughty	    0.63  0.04
Storden		Slope		Slope			    0.63
829E2: Zenor		·	1.00		11.00	  Very limited   Slope   Droughty	    1.00  0.04
Storden	30	Slope		Slope		  Very limited   Slope 	1 1.00
956: Harps	 	Depth to   saturated zone   Frost action   Low strength	1.00	Depth to   saturated zone 	11.00		1.00
Okoboji	 	Depth to Saturated zone Frost action Low strength	11.00	Depth to   saturated zone 	11.00	  Very limited   Depth to   saturated zone     	  1.00     

Building Site Development

Map symbol and soil name	Pct.   of  map  unit	streets	d	Shallow excavati   	ons	Lawns and landscaping     	
		Rating class and   limiting features		Rating class and   limiting features			
1221: Palms	- 100       	Depth to   saturated zone   Subsidence	1.00    1.00	Depth to   saturated zone   Content of   organic matter	1.00    1.00	saturated zone Content of	11.00
1507: Brownton		Depth to   saturated zone   Frost action	1.00    1.00  1.00	Depth to   saturated zone   Too clayey 	1.00	  Very limited   Depth to   saturated zone   	1.00
1536: Hanlon	  -  95       	Flooding	11.00	cutbanks cave	0.90  0.80  0.61	İ	1 1 .00
1585: Spillville	  -  50     	Flooding   Low strength     Shrink-swell	11.00	Depth to   saturated zone		  Very limited   Flooding       	1 1.00
Coland	 -  30         	Depth to   saturated zone   Frost action     Flooding	1.00    1.00    1.00  1.00	Depth to   saturated zone   Flooding   	1.00 	  Very limited   Flooding     Depth to   saturated zone 	  1.00    1.00 
2225: Blue Earth	  - 100     	  Very limited   Depth to   saturated zone   Frost action   Low strength	    1.00    1.00  1.00	  Very limited   Depth to   saturated zone   cutbanks cave 	1 1.00	  Very limited   Depth to   saturated zone 	1 1.00

# Building Site Development

### Hamilton County, Iowa

	  Pct.   of  map  unit	streets		   Shallow excavati <sup>,</sup>   	ons	   Lawns and landsca     	ping
	     			Rating class and limiting features			
4000: Urban Land	    100   	    Not rated   	       	    Not rated   	       	    Not rated   	
5010: Pits	1100	      Not rated 	       	      Not rated 	       	      Not rated   	
5030: Pits	      100 	      Not rated   	         	      Not rated   	         	    Not rated   	
5040: Orthents	      100 	      Not rated   	         	      Not rated   	         	      Not rated   	       
5043: Aquents	  100       	Not Rated   (miscellaneous   unit)	1.00   	    Very limited   Depth to   saturated zone     Not Rated	1.00   	Depth to   saturated zone 	    1.00      1.00
W: Water	        100       	saturated zone          Not rated     	     	(miscellaneous   unit)      Not rated   	   	(miscellaneous   unit)      Not rated   	